

CAUSES OF THE OCCURRENCE OF LANDSLIDES AND MEASURES FOR ITS PREVENTION

Mamadaliyev Adkhamjon Tukhtamirzaevich

*Namangan Institute of Engineering and Construction
12, I. Karimov street, Namangan district, 160103, Republic of Uzbekistan*

Turgunov Avazkhan Akhmadjanovich

*Namangan Institute of Engineering and Construction
12, I. Karimov street, Namangan district, 160103, Republic of Uzbekistan*

Abstract: *This article describes possible floods in our republic and measures to protect the population from them, as well as how the population should act in the event of such an emergency.*

Key words: *Flood, heavy downpour, damage to reservoirs, damage to hydrotechnical structure, snowmelt, flood hazard.*

A landslide is a large volume of soil or rock with high moisture content, which moves down the slopes of mountains, hills and hills under the influence of its own gravity. The slope of impermeable rocks under the soil on the slopes plays an important role in the occurrence of landslides. If the slope of the impermeable rocks is suitable for the terrain, the higher is the landslide potential of the mass lying on it. In order for landslides to occur, as a result of rainfall in landslide-prone areas, the soil mass on the slope becomes saturated with moisture, becomes liquefied, and descends along the surface of the impermeable rocks underlying the soil. moves in a hurry.

The volume of the landslide can be from several ten thousand m³ to several hundred thousand m³ or more. Large-scale earthquakes move at high speed in their direction, destroy all living things, destroy crops, destroy settlements, civil and industrial facilities, and highways.

Therefore, landslides are one of the most dangerous natural disasters, just like earthquakes. Many landslides and landslides have been observed in the territories of the Republics of Central Asia to date. Chaulisoy landslide - April 30, 1960, 30 people died, total mass 200 thousand m³, Khojikent landslide - 1961, 12 people killed, total mass 1000 m³, Jigaristan landslide - May 4, 1991, 56 people died, total mass 176 thousand m³, Aktash landslide - March 11, 1993, 5 people the total mass is 80 thousand m³, Karakisloq landslide - March 29, 1994, 3 people died, the total mass was 400 thousand m³.

For example, on February 11, 1911, there was a 9-point earthquake in the Muzkol mountain range of the Pamirs, as a result of which the Ugoi landslide occurred. The landslide pushed 2.5 km³ of rock to a distance of 2.5 km and blocked the Murgob river. As a result of the disaster, the village of Ugoi fell under a landslide and 54 people died. Today,

the world-famous Sorez lake has appeared here in front of a natural dam with a depth of 703-788 m and a width of 4.3-5.3 km.

In 1991, another powerful "Jigharistan" earthquake occurred in Ohangaron Valley. Here, the volume is 30 mln. More than 50 people living in the area were killed by the landslide as a result of the 7-second slide of porous soil measuring m³. The reason for the landslide is that the area where the village is located is located at the bottom of the slope, the rocks located on the slope are made of thick chert rocks, blasting has been carried out on these rocks for many years, and It is explained that there was a lot of precipitation that year. Many more such examples can be given.

Residents living in areas prone to landslides should have information about the signs, description and danger of landslides and know what to do in case of such a situation.

Signs of avalanche danger include:

- changes in the surface and relief of mountains and hills, sudden disappearance of spring water or change of its direction of movement;
- piles of soil and stones of various shapes and the appearance of cracks on the surface of the earth, the occurrence of interruptions in the roads and crooked growth of trees;
- in places with a risk of landslides or at the bottom of the slopes, the soil pushes and forms mounds;
- appearance of cracks in the walls of buildings and private houses located around the area where landslides are likely to occur.

Usually, these signs appear as a result of rains and snow melt in spring and autumn.

Failure to follow the rules of land development and irrigation without properly studying the soil layer of the mountains and hills also leads to excess moisture in the soil and the development of landslides. Man-made changes such as mining of minerals, construction of railways and highways, laying of water and gas pipelines, cutting of forests and bushes, especially in areas with a risk of landslides, also cause landslides. speeds up the process.

First of all, people living in landslide-prone areas need to know in advance whether their house is at risk of falling under a landslide. Usually, it is not possible to build buildings for living or other purposes on the lands where there is a risk of landslides. If there is a risk of landslides in a populated area, about it residents will be warned by local authorities and moved to safe places according to a pre-arranged plan.

To date, state services for monitoring landslides have been established in all mountainous and sub-mountainous regions of our Republic, and they carry out scientific research on the investigation of dangerous geological processes, including areas with a risk of landslides.

they carry out their work. Employees of the state surveillance service identify all dangerous processes in the area, determine measures to eliminate them. If there is such a

danger, they will send out warning letters to the local authorities about it and help to set measures to warn the population.

Obligations of citizens living in landslide-prone areas include:

- strictly comply with the instructions and warning procedures of the responsible persons set by the local authority about the possibility of an avalanche;
- active participation in the elimination of a landslide when it occurs;
- immediately inform the assembly of citizens about the possibility of a landslide;
- participation in the quick relocation of the population in places where landslides occurred to safe areas;
- to put signs in dangerous areas and to help the employees of the surveillance service in other work.

There are indirect and direct methods of landslide prevention: Indirect methods of landslide prevention include:

- not to carry out construction and related excavation works on sloping surfaces;
- prevent accumulation of eroded rocks under the slopes;
- not to exceed the specified speed of the movement of railway trains and motor vehicles on the roads located near the places where there is a risk of landslides;
- increasing the type of trees on the slopes;
- not to allow irrigation and plowing to be carried out on the slopes.

The direct methods of eliminating the movement and effects of landslides are as follows:

- development of measures aimed at slowing down or stopping the speed of landslide movement;
- construction of water flow regulation and control devices;
- construction of embankments to prevent the banks of rivers and reservoirs from being washed away;
- lowering the level of underground water;
- construction of retaining walls to prevent rocks from sliding;
- artificial improvement of physical and mechanical properties of rocks that can be moved. Do not allow them to overmoisten.

Taking into account the fact that landslides have such a destructive nature, in 1958 in Uzbekistan, the engineer-geological State Monitoring Service was established to monitor them specially.

Currently, the State Surveillance Service has 7 regional surveillance stations and 21 posts on the territory of our country. There are more than 8,000 economic objects, 144 health care complexes, 170 highway areas, more than 20 mining and hydrotechnical facilities in their observation areas. The State Surveillance Service is working around the clock with the staff of the Ministry of Emergency Situations. The first problem in the study of landslides is the abstraction of the time of their occurrence. Because landslides are

dangerous geological processes that develop accidentally. The surest way to prevent landslides is to warn people in time and move them to safe places.

FOYDALANILGAN ADABIYOTLAR:

1. Мамадалиев А.Т., Мамаджанов З.Н. Фавқулудда вазиятлар ва аҳоли муҳофазаси.

Дарслик. Тошкент. 2022й

2. Тўхтақўзиев А., Росабоев, А., Мамадалиев, А. Тукли чигитларни қобиқлаш барабанининг параметрларини назарий асослаш. ФарПИ илмий-техник журнали.– Фарғона, 2012йм(2), 34-36.

3. Мамадалиев, А. Т. (2021). Теоретическое обоснование параметров чашеобразного дражирующего барабана. *Universum: технические науки*, (6-1 (87)), 75-78.

4. Росабоев, А., & Мамадалиев, А. (2013). Предпосевная обработка опушенных семян хлопчатника защитно-питательной оболочкой, состоящей из композиции макро и микроудобрений. Теоритические и практические вопросы развития научной мысли в современной мире: Сборник статей. Уфа Риц БашГУ, 174-176.

5. Гафуров, К., Росабоев, А., & Мамадалиев, А. (2007). Дражирование опушенных семян хлопчатника с минеральным удобрением. ФарПИ илмий-техник журнали.– Фарғона, (3), 55-59.

6. Tuxtamirzayevich, M. A. (2020). Study of pubescent seeds moving in a stream of water and mineral fertilizers. *International Journal on Integrated Education*, 3(12), 489-493.

7. Tuxtamirzaevich, M. A. (2021). Presowing Treatment of Pubescent Cotton Seeds with a Protective and Nutritious Shell, Consisting of Mineral Fertilizers in an Aqueous Solution and a Composition of Microelements. *DesignEngineering*, 7046-7052.

8. Росабоев, А. Т., & Мамадалиев, А. Т. (2017). Теоретическое обоснование движения опушенных семян хлопчатника после поступления из распределителя в процессе капсулирования. *ScienceTime*, (5), 239-245.

9. Росабоев, А. Т., Мамадалиев, А. Т., & Тухтамирзаев, А. А. У. (2017). Теоретическое обоснование параметров капсулирующего барабана опушенных семян. *ScienceTime*, (5 (41)), 246-249.

10. Мамадалиев, А. Т., & Мамаджанов, З. Н. (2022). Минерал ўғитлар ва микроэлементли композицияларни сувдаги эритмаси билан қобиқланган тукли чигитларни лаборатория-дала шароитида синаш натижалари. *Экономика и социум*, (2), 93.

11. Мамадалиев, А. Т. (2022). Уруғлик чигитларни макро ва микроўғитлар билан қобиқловчи қурилманинг ўлчамлари ва иш режимларини асослаш. In *МИРОВАЯ*

НАУКА 2022. ПРОБЛЕМЫ И ПЕРСПЕКТИВЫ РАЗВИТИЯ. МЕЖДУНАРОДНЫЕ КОММУНИКАЦИИ (pp. 54-57).

12. Мамадалиев, А. Т. (2013). Институт механизации и электрификации сельского хозяйства, г. Янгийул, Республика Узбекистан. Редакционная коллегия, 174.

13. Rosaboev, A., & Mamadaliyev, A. (2019). Theoretical substantiation of parameters of the cup-shaped coating drums. *International Journal of Advanced Research in Science, Engineering and Technology*, 6(11), 11779-11783.

14. Гафуров К., Абдуллаев М., Мамадалиев А., Мамаджанов З., Арисланов А. Уруғлик чигитларни макро ва микроўғитлар билан қобиқлаш. Монография. 2022. Dodo Books Indian Ocean Ltd. and Omniscryptum S.R.L Publishing group.

15. Mamadaliyev, A. (2002). УРУҒЛИК ЧИГИТЛАРНИ МАКРО ВА МИКРОЎҒИТЛАР КОМПОЗИЦИЯЛАРИ БИЛАН ҚОБИҚЛАШ ТЕХНОЛОГИЯСИ ВА ҚУРИЛМАЛАРИ. Scienceweb academic papers collection.

16. Росабоев, А. Т., & Мамадалиев, А. Т. (2017). Тухтамирзаев ААУ Теоретическое обоснование параметров капсулирующего барабана опушенных семян. *Science Time*, (5), 41.

17. Mamadaliyev, A. (2021). Theoretical study of the movement of macro and micro fertilizers in aqueous solution after the seed falls from the spreader. Scienceweb academic papers collection.

18. Mamadaliyev, A. (2019). THEORETICAL SUBSTANTIATION OF PARAMETERS OF THE CUP-SHAPED COATING DRUMS. Scienceweb academic papers collection.

19. Росабоев, А. Т., & Мамадалиев, А. Т. (2013). старший преподаватель кафедры экологии и охраны труда Наманганского инженерно-педагогического института, г. Наманган, Республика Узбекистан. Редакционная коллегия, 174.

20. Гафуров К., Мамадалиев А.Т., Мамаджанов З.Н., Арисланов А.С. Комплекс минерал озукларни хўжаликлар шароитида тайёрлаш ва қишлоқ хўжалиги уруғларини макро ва микро ўғитлар билан қобиқлаш. Copyright 2022 Монография. Dodo Books Indian Ocean Ltd. and Omniscryptum S.R.L Publishing group.

21. Mamadaliyev, A. ТУКЛИ ЧИГИТЛАРНИ МИНЕРАЛ УЎИТЛАР БИЛАН ОБШЛОВЧИ УРИЛМАНИНГ КОНУССИМОН ЁЙГИЧИ ПАРАМЕТРЛАРИНИ АСОСЛАШ. Scienceweb academic papers collection-2014.

22. Mamadaliyev, A. ТУКЛИ ЧИГИТЛАРНИ ОБШЛАШ БАРАБАНИНИНГ ПАРАМЕТРЛАРИНИ НАЗАРИЙ АСОСЛАШ. Scienceweb academic papers collection.-2012.

23. Рахманов, Ш. В., Тургунов, А. А. (2021). Табиатни муҳофаза қилиш-ҳар бир фуқоронинг бурчидир. *International Journal of Discourse on Innovation, Integration And Education*, 2(1), 97-98.

24. Mamadaliyev, A. (2014). ТУКЛИ ЧИГИТЛАРНИ МИНЕРАЛ ЎҒИТЛАР БИЛАН ҚОБИҚЛОВЧИ ҚУРИЛМАНИНГ КОНУССИМОН ЁЙГИЧИ ПАРАМЕТРЛАРИНИ АСОСЛАШ. Scienceweb academic papers collection.

25. Valijonovich, R. S., Axmadjanovich, T. A., & Khoshimjon, Y. S. (2021). Causes and Consequences of Floods and Floods in The Safety of Life, Measures to Protect the Population and The Territory. *International Journal of Progressive Sciences and Technologies*, 25(1), 83-86.
26. Mamadaliev, A. (2012). ТУКЛИ ЧИГИТЛАРНИ ҚОБИҚЛАШ БАРАБАНИНИНГ ПАРАМЕТРЛАРИНИ НАЗАРИЙ АСОСЛАШ. *Scienceweb academic papers collection*.
27. Mamadaliev, A. (2003). ҚИШЛОҚ ХЎЖАЛИК ЭКИНЛАРИ УРУҒЛАРИНИНГ ЮЗИНИ ХИМОЯ-ОЗУҚА ҚОБИҒИ БИЛАН ҚОПЛАШ УСУЛИ ВА УНИ АМАЛГА ОШИРИШ УЧУН ҚУРИЛМА. *Scienceweb academic papers collection*.
28. Arislanov, A., Abdullaev, M., Mamadaliev, A., Mamadjonov, Z., & Isomiddinov, O. (2022). ПАХТА ҲОСИЛДОРЛИГИНИ ОШИРИШДА УРУҒЛИК ЧИГИТЛАРНИ МИНЕРАЛ ЎҒИТЛАР БИЛАН ҚОБИҚЛАШ ВА ЭЛЕКТРОКИМЁВИЙ ФАОЛЛАШГАН СУВ БИЛАН ИВИТИБ ЭКИШ. *Science and innovation*, 1(D5), 171-179.
29. Mamadaliev, A. ИШЛО^ ХУЖАЛИК ЭКИНЛАРИ УРУҒЛАРИНИНГ ЮЗИНИ ХИМОЯ-ОЗУ^ А^ ОБИГИ БИЛАН^ ОПЛАШ УСУЛИ ВА УНИ АМАЛГА ОШИРИШ УЧУН^ УРИЛМА. *Scienceweb academic papers collection*.-2003.
30. Бахриддинов, Н. С., & Тургунов, А. А. (2022). ЭКСТРАКЦИОН ФОСФАТ КИСЛОТА ОЛИШ ДАВРИДА ФИЛЬТРЛАШ ДАРАЖАСИНИ ОШИРИШ. *PRINCIPAL ISSUES OF SCIENTIFIC RESEARCH AND MODERN EDUCATION*, 1(8).
31. No, P. (1998). 5698 UZ. Method of obtaining extraction phosphoric acid/Gafurov K., Shamshidinov IT, Arislanov A., Mamadaliev A.(UZ).
32. Sadriddinovich, B. N., & Axmadjanovich, T. A. (2021). Role Of Mahalla's Participation In The Development Of Education. *International Journal of Progressive Sciences and Technologies*, 25(1), 375-378.
33. Sadriddinovich, B. N., & Tukhtamirzaevich, M. A. (2022). DEVELOPMENT OF PRODUCTION OF BUILDING MATERIALS IN THE REPUBLIC OF UZBEKISTAN THROUGH INNOVATIVE ACTIVITIES. *ScientificImpulse*, 1(4), 213-219.
34. К Гафуров, ИТ Шамшидинов, А.Арисланов, АТ Мамадалиев.Способ получения экстракционной фосфорной кислоты. *SUPatent 5213 UZ*. 1998
35. Мамадалиев Адхамжон Тухтамирзаевич. (2022). ИНЖЕНЕРЛИК ГЕОЛОГИЯСИ ФАНИ МАВЗУСИНИ ЯНГИ ПЕДАГОГИК ТЕХНОЛОГИЯ АСОСИДА ЎҚИТИШ. *Proceedings of International Educators Conference*, 3, 494–504.
36. Mamadjonov, Z., Mamadaliev, A., Bakieva, X., & Sayfiddinov, O. (2022). СҮЮҚ ЎҒИТАММИАКАТЛАР ОЛИШ ВА УЛАРНИ ИШЛАТИШ УСУЛЛАРИ. *Science and innovation*, 1(A7), 309-315.
37. Mamadaliyev A. T., Yakubzhanova Ya G. USE OF NEW PEDAGOGICAL TECHNOLOGIES IN TEACHING THE SUBJECTS OF INDUSTRIAL SANITATION AND LABOR HYGIENE //Proceedings of International Conference on Modern Science and Scientific Studies. – 2022. – Т. 3. – С. 378-386.

38. Шамшидинов И. Т., Мамаджанов З. Н., Мамадалиев А. Т. Изучение коагулирующей способности сульфата алюминия полученного из ангренского каолина // НАУКА XXI ВЕКА: ТЕОРИЯ, ПРАКТИКА, ПЕРСПЕКТИВЫ. – 2014. – С. 48-55.

39. Shamshidinov I. T., Mamadaliev A. T., Mamajanov Z. N. Optimization of the process of decomposition of aluminosilicate of clays with sulfuric acid // The First International Conference on Eurasian scientific development. – 2014. – С. 270-275.

40. Tukhtamirzaevich, M. A. (2022, December). DIMENSIONS AND JUSTIFICATION OF OPERATING MODES FOR PANING DEVICE OF HAIRD COTTON SEEDS WITH MACRO AND MICRO FERTILIZERS. In International scientific-practical conference on "Modern education: problems and solutions" (Vol. 1, No. 5).

41. Мамадалиев, А. Т., & Бакиева, Х. А. СҮҮҚ ҲҒИТ-АММИАКАТЛАР ОЛИШ ВА УЛАРНИ ИШЛАТИШ УСУЛЛАРИ Мамаджанов Зокиржон Нематжонович. PhD, доцент.

42. Арисланов, А. С. ПАХТА Х. ОСИЛДОРЛИГИНИ ОШИРИШДА УРУГЛИК ЧИГИТЛАРНИ МИНЕРАЛ УГИТЛАР БИЛАН ОБЩЛАШ ВА ЭЛЕКТРОКИМЁВИЙ ФАОЛЛАШГАН СУВ БИЛАН ИВИТИБ ЭКИШ.

43. Мамадалиев, А. Т., Мамаджанов, З. Н., Арисланов, А. С., & Исомиддинов, О. Н. Қишлоқ хўжалигида уруғлик чигитларни азот фосфорли ўғитлар билан қобиқлаш. ScienceandUIF-2022, 8.

44. Патент РУз № IAP 03493. Способ покрытия поверхности семян сельскохозяйственных культур защитно-питательной оболочкой и устройства для его осуществления / К. Гафуров, А. Хожиев, А. Т. Росабоев, А. Т. Мамадалиев // Б.И. – 2007. – № 11.

45. Тухтақўзиев А., Росабоев А., Мамадалиев А., Имомқулов У. Тукли чигитларни минерал ўғитлар билан қобиқловчи қурилманинг конуссимон ёйғичи параметрларини асослаш // ФарПИ илмий-техник журнали. – Фарғона, 2014. – № 2. – Б. 46-49.

46. Абдуллаев, М. Т., & Мамадалиев, А. Т. (2022). Изучение эффективности дражирования семян хлопчатника в водном растворе минеральных удобрений и композиции микроэлементов. «Экономика и социум», (1), 92.

47. Бахриддинов, Н. С., & Тургунов, А. А. (2022, December). КОНЦЕНТРИРОВАНИЯ ЭКСТРАКЦИОННОЙ ФОСФОРНОЙ КИСЛОТЫ ИЗ КЫЗЫЛКУМСКИХ ФОСФОРИТОВ. In Proceedings of International Conference on Modern Science and Scientific Studies (Vol. 3, pp. 410-419).

48. Sadriddinovich, B. N., Akhmadjanovich, T. A., & Gulomjonovna, Y. Y. (2022, December). Technology of obtaining magnesium and sulfate ion superphosphate from effluent concentration waste. In International scientific-practical conference on "Modern education: problems and solutions" (Vol. 1, No. 5).

49. Mamadaliyev A. T. Naturally occurring carbonate minerals and their uses // Scientific

Impulse. – 2022. – Т. 1. – № 5. – С.

50. Mamadaliev, A., Mamadjonov, Z., Arislanov, A., & Isomiddinov, O. (2022). ҚИШЛОҚ ХЎЖАЛИГИДА УРУҒЛИК ЧИГИТЛАРИ АЗОТ ФОСФОРЛИ ЎҒИТЛАР БИЛАН ҚОБИҚЛАШ. Science and innovation, 1(D5), 180-189.
51. Mamadaliyev Adkhamjon Tukhtamirzaevich. (2022). RESULTS OF LABORATORY-FIELD TESTING OF HAIRY SEEDS COATED WITH MINERAL FERTILIZERS. Proceedings of International Educators Conference, 3, 528–536..
52. Mamadaliyev A. T. The movement of the population when a flood happens // Scientific Impulse. – 2022. – Т. 1. – №. 5. – С..
53. Rakhmanov, S. V., & Turgunov, A. A. (2022). THE USE OF BIOLOGICAL RESOURCES IS A GUARANTEE OF ECONOMIC STABILITY. ASIA PACIFIC JOURNAL OF MARKETING & MANAGEMENT REVIEW ISSN: 2319-2836 Impact Factor: 7.603, 11(03), 4-8.
54. Mamadaliyev, A. T. (2021). son Bakhtiyor Maqsud, Umarov Isroil. Study of the movement of pubescent seed s in the flow of an aqueous solution of mineral fertilizers. A Peer Reviewed Open Access International Journal, 10(06), 247-252.
55. Mamadaliyev A. T., Bakhridinov N. S. Teaching the subject of engineering geology on the basis of new pedagogical technology//Scientific Impulse. – 2022. – Т. 1. – №. 5.
56. Собиров, М. М., Махсудова, З. И., Урозов, Т. С., & Таджиев, С. М. (2016). Жидкие и суспендированные серосодержащие сложные удобрения/«Илимий ахборотнома» Самарқанд, (5-С), 68-72.
57. Розикова, Д. А., Собиров, М. М., Хамдамова, Ш. Ш., & Арипов, Х. Ш. (2020). Получение NPK-удобрений на основе термоконцентрата месторождения кызылкум, карбамид-аммиачной селитры и хлорида калия. Universum: химия и биология, (8-2 (74)), 25-28.
58. Бахриддинов Н. С., Мамадалиев А. Т. Преимущество отделения осадков, образующихся при концентрировании экстрагируемых фосфорных кислот//ScientificImpulse. – 2022. – Т. 1. – №. 5. – С.
59. Turgunov A A, Yakubzhanova Y G, Yuldoshev Sh K, Mirzaliyev Z S. MAIZE, MAINTENANCE AND DEVELOPMENT OF WAYS TO OVERCOME DEFICIENCIES IN GROWTH FROM THE SUBSYSTE//PEDAGOG. – 2022. – №. 4. – С. 953-959
60. Bakhriddinov Nuriddin Sadriddinovich, & Turgunov Avazkhon Akhmadzhanovich. (2022). ADVANTAGE OF SEPARATING THE RESIDUE GENERATED BY THE CONCENTRATION OF THE EXTRACTABLE PHOSPHORIC ACID. Proceedings of International Educators Conference, 3, 461–472
61. Turgunov Avazkhon Akhmadzhanovich. (2022). INTERACTIVE LEARNING METHOD. Proceedings of International Educators Conference, 3, 517–527.